

Follow					Subscribe
					

Just In:

'New' Supercolony of 1.5 Million ...

Science News

from research organizations

		
---	---	---

Brain's 'Hate Circuit' Identified

Date: October 29, 2008

Source: University College London

Sum... People who view pictures of someone they hate display activity in distinct areas of the brain that, together, may be thought of as a "hate circuit," according to new research.

Share: a b v e g d

FULL STORY




Most Popular *this week*

HEALTH & MEDICINE



Largest Study of Its Kind Finds Alcohol Use Biggest Risk Factor for Dementia



Hidden Secret of Immortality Enzyme Telomerase



'Obesity Paradox' Debunked

MIND & BRAIN



Behavior in High School Predicts

Income and Occupational Success Later in Life



Simple Urine Test Could Measure How

Much Our Body Has Aged



New research has found that people who view pictures of someone they hate display activity in distinct areas of the brain that, together, may be thought of as a 'hate circuit.'

Credit: iStockphoto/Valentin Casarsa

People who view pictures of someone they hate display activity in distinct areas of the brain that, together, may be thought of as a 'hate circuit', according to new research by scientists at UCL (University College London).

The study, by Professor Semir Zeki and John Romaya of the Wellcome Laboratory of Neurobiology at UCL, examined the brain areas that correlate with the sentiment of hate and shows that the 'hate circuit' is distinct from those related to emotions such as fear, threat and danger – although it shares a part of the brain associated with aggression. The circuit is also quite distinct from that associated with romantic love, though it shares at least two common structures with it.

The results are an extension of previous studies on the brain mechanisms of romantic and maternal love from the same laboratory. Explaining the idea behind the research, Professor Zeki said: "Hate is often considered to be an evil passion that should, in a better world, be tamed, controlled, and eradicated. Yet to the biologist, hate is a passion that is of equal interest to love. Like love, it is often seemingly irrational and can lead individuals to heroic and evil deeds. How can two opposite sentiments lead to the same behaviour?"



Brain Mechanisms That Give The Iceman Unusual Resistance to Cold

LIVING & WELL

Low Magnesium Levels Make Vitamin D Ineffective



Crowdsourced Family Tree Yields New Insights About Humanity



Wine Polyphenols Could Fend Off Bacteria That Cause Cavities and Gum Disease

Strange & Offbeat

HEALTH & MEDICINE



Brain Mechanisms That Give The Iceman Unusual Resistance to Cold



Personalizing Wearable Devices

Nicotine Extracted from Ancient Dental Plaque for the First Time

MIND & BRAIN



Déjà Vu and Feelings of Prediction:

To compare their present results with their previous ones on romantic love, Zeki and Romaya specifically studied hate directed against an individual. Seventeen subjects, both female and male, had their brains scanned while viewing pictures of their hated person as well as that of neutral faces with which they were familiar. Viewing a hated person showed activity in distinct areas of the brain that, together, may be thought of as a 'hate circuit'.

The 'hate circuit' includes structures in the cortex and in the sub-cortex and has components that are important in generating aggressive behaviour, and translating this into action through motor planning, as if the brain becomes mobilised to take some action. It also involves a part of the frontal cortex that has been considered critical in predicting the actions of others, probably an important feature when one is confronted by a hated person.

The subcortical activity involves two distinct structures, the putamen and insula. The former, which has been implicated in the perception of contempt and disgust, may also be part of the motor system that is mobilised to take action, since it is known to contain nerve cells that are active in phases preparatory to making a move.

Professor Zeki added: "Significantly, the putamen and insula are also both activated by romantic love. This is not surprising. The putamen could also be involved in the preparation of aggressive acts in a romantic context, as in situations when a rival presents a danger. Previous studies have suggested that the insula may be involved in responses to distressing stimuli, and the viewing of both a loved and a hated face may

They're Just Feelings



Distortive
Effects of Short
Distance

Photographs on Nasal
Appearance: The Selfie
Effect



Our Reactions
to Odor Reveal
Our Political

Attitudes, Survey
Suggests

LIVING & WELL

When It Comes to Our
Brains, There's No Such
Thing as Normal



Jymmin: How a
Combination of
Exercise and

Music Helps Us Feel
Less Pain

Cold Open Water Plunge
Provides Instant Pain
Relief, Case Reports
Suggest

constitute such a distressing signal.

"A marked difference in the cortical pattern produced by these two sentiments of love and hate is that, whereas with love large parts of the cerebral cortex associated with judgment and reasoning become de-activated, with hate only a small zone, located in the frontal cortex, becomes de-activated. This may seem surprising since hate can also be an all-consuming passion, just like love. But whereas in romantic love, the lover is often less critical and judgmental regarding the loved person, it is more likely that in the context of hate the hater may want to exercise judgment in calculating moves to harm, injure or otherwise extract revenge.

"Interestingly, the activity in some of these structures in response to viewing a hated face is proportional in strength to the declared intensity of hate, thus allowing the subjective state of hate to be objectively quantified. This finding may have legal implications in criminal cases, for example."

Unlike romantic love, which is directed at one person, hate can be directed against entire individuals or groups, as is the case with racial, political, or gender hatred. Professor Zeki said that these different varieties of hate will be the subject of future studies from his laboratory.

Story Source:

Materials provided by **University College London**.

Note: Content may be edited for style and length.

Journal Reference:

1. Zeki et al. **Neural Correlates of Hate**. *PLoS ONE*,

2008; 3 (10): e3556 DOI: 10.1371/journal.pone.0003556

Cite This Page:

MLA

APA


Chicago

University College London. "Brain's 'Hate Circuit' Identified." ScienceDaily. ScienceDaily, 29 October 2008. <www.sciencedaily.com/releases/2008/10/081028205658.htm>.

RELATED STORIES

Drivers of Hate in the United States Have Distinct Regional Differences

Feb. 9, 2018 — In a new study, geographers sought to understand the factors fueling hate across space. Their findings paint a rather grim reality of America; hate is a national phenomenon, and more complicated than ... **read more** »

**Cheese: A Matter of Love or Hate**

Oct. 19, 2016 — Until now, the reason why some people hate cheese has been a mystery, but researchers have just solved this question. To find out what happens in the brain, fifteen people who like cheese and fifteen ... **read more** »

Increased Internet Access Led to a Rise in Racial Hate Crimes in the Early 2000s

Sep. 28, 2015 — Broadband availability increased the incidence of racial hate crimes committed by lone-wolf perpetrators in the United States during the period 2001-2008, new research concludes. The ad-

dition of a ... **read more »**



Friend or Foe: 'Devastating' Number of Hate-Fuelled Crimes Are Committed by Friends, Colleagues, Carers of Victims

Sep. 21, 2014 — People in trustworthy positions to victims, such as friends or carers, can be sources of cruelty and hate, a new study has concluded. Hate crime victims have recorded being tipped from wheel-chairs, ... **read more »**

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links and proceeds with scholarly publications in the TrendMD network.

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 Email Newsletters

 RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 Facebook

 Twitter

 Google+

 LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute](#) | [Advertise](#) |

[Privacy Policy](#) | [Terms of Use](#)

Copyright 2018 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.